

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L2	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L3	470	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L4	257	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L5	8	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L6	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L7	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L8	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L9	165	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L10	404	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L11	368	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L12	553	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L13	1354	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L14	0	L6 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L15	62	L9 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L16	60	L9 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L17	46	L9 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L18	0	L9 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L19	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L20	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L21	146	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L22	106	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L23	106	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L24	100	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L25	55	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L26	5965	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L27	672	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L28	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L29	470	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L30	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L31	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L32	165	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L33	404	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L34	368	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L35	553	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L36	1354	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L37	46	((token) with (storage near3 (address location (device adj id ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L38	0	L37 and L32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L39	60	L32 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L40	0	L32 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L41	146	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L42	5965	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L43	672	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L44	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L45	8	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L46	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L47	62	L32 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L48	46	L32 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L49	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L50	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L51	106	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L52	106	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L53	100	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L54	55	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L55	257	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L56	25740	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L57	2583	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L58	1395	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L59	217	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L60	111	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L61	49	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retrieve\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L62	592	block near3 command with data with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L63	108	block near3 command with data with access\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L64	45	block near3 command with data with access\$3 and token and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L65	4367	remote near3 data near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L66	33	remote near3 data near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L67	110	remote near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L68	78	L67 not L66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L69	5	("6230272").URPN.	USPAT	OR	ON	2006/07/13 17:43
L70	2	("5506961").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 17:43
L71	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L72	470	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L73	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L74	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L75	165	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L76	404	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L77	368	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L78	553	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L79	1354	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L80	46	((token) with (storage near3 (address location (device adj id ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L81	0	L80 and L75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L82	60	L75 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L83	0	L75 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L84	146	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L85	5965	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L86	672	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43

EAST Search History

L87	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L88	470	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L89	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:43
L90	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L91	165	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L92	404	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L93	368	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L94	553	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L95	1354	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L96	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L97	0	L96 and L91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L98	60	L91 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L99	0	L91 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L100	146	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L101	5965	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L102	672	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L103	25740	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L104	2583	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L105	1395	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L106	217	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L107	49	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retriev\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L108	592	block near3 command with data with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L109	4367	remote near3 data near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L110	110	remote near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L111	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L112	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L113	8	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L114	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L115	62	L75 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L116	46	L75 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L117	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L118	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L119	106	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L120	106	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L121	100	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L122	55	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L123	8	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L124	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L125	62	L91 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L126	46	L91 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L127	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L128	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L129	106	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L130	106	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L131	100	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L132	55	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L133	108	block near3 command with data with access\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L134	45	block near3 command with data with access\$3 and token and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L135	33	remote near3 data near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L136	78	L110 not L135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L137	111	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L138	257	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L139	257	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L140	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L141	42	("5506961").URPN.	USPAT	OR	ON	2006/07/13 17:44
L142	42	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L143	42	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L144	24	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and L141 and (token cookie string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L145	3637	scsi near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L146	26	scsi near5 command same token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L147	1	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and L141 and (token cookie string) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L148	1205	711/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L149	5	711/113.ccls. and token near5 access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L150	269	token same ((disk near5 command) or (block near5 command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L151	140	token same ((disk near5 command) or (block near5 command)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L152	77	token same ((disk near5 command) or (block near5 command)) and (authenticat\$3 authoriz\$6 verif\$8) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L153	110	token same (authenticat\$3 authoriz\$6 verif\$8) and ((disk near5 command) or (block near5 command)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L154	110	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retreiv\$3 request\$3 network) and L153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L155	2	("6092149").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 17:44
L156	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retreiv\$3 request\$3 network) and L155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L157	1	("6567853").URPN.	USPAT	OR	ON	2006/07/13 17:44
L158	1	("6567853").URPN.	USPAT	OR	ON	2006/07/13 17:44
L159	38	("4649473" "5204954" "5212784" "5404527" "5566331" "5584042" "5590334" "5613124" "5613155" "5694615" "5793965" "5835724" "5838916" "5857188" "5862339" "5867661" "5893116" "5893918" "5903733" "5905872" "5915093" "5940841" "5996014" "6003084" "6006268" "6014702" "6023698" "6029175" "6032224" "6088451" "6092196" "6108703" "6192408" "6240417" "6247055" "6247139" "6275953" "6298380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/13 17:44

EAST Search History

L160	38	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retrieve\$3 request\$3 network) and L159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L161	12	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retrieve\$3 request\$3 network) and L159 and (token cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L162	8	scsi same (command adj ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L163	2	scsi same (command adj ID) and (token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L164	240	DASD near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L165	23	DASD near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L166	642	(scsi disk ata DASD) near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L167	628	(scsi disk ata) near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L168	7	(scsi disk ata) near5 command and token and (access\$4 adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L169	8	(scsi disk ata (data adj storage)) near7 command and token and (access\$4 adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L170	830	(scsi disk ata (data adj storage)) near7 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L171	428	(scsi disk ata (data adj storage)) near5 command and token and (authenticat\$3 authoriz\$6 verif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L172	239	(scsi disk ata (data adj storage)) near5 command and token and (authenticat\$3 authoriz\$6 verif\$8)and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L173	545	token with (disk storage) with (address\$2 location ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L174	6	token with (disk storage) with (address\$2 location ID) same (scsi block disk) near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L175	73	token with (disk storage) with (address\$2 location ID) same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L176	1587	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L177	768	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L178	758	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44

EAST Search History

L179	210	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L180	71	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application and authoriz\$6 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L181	1126	710/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L182	63	710/107.ccls. and token and command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L183	39	710/107.ccls. and token and command and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L184	49	("3673576" "3725864" "4040037" "4272815" "4841475" "5008808" "5084877" "5218680" "5260933" "5367661" "5396596" "5442637" "5526484" "5528605" "5566304" "5577172" "5584039" "5584041" "5611070" "5640596" "5666358" "5708961" "5748684" "5764392" "5768530" "5787256" "5835925" "5845147" "5870625" "5872911" "5878227" "5901327" "5930480" "5938735" "5952932" "5959995" "5960436" "6000012" "6014383" "6018779" "6029008" "6052744" "6138161" "6167459" "6170023" "6185203" "6188702" "6205498" "6240446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/13 17:44

EAST Search History

L185	49	("3673576" "3725864" "4040037" "4272815" "4841475" "5008808" "5084877" "5218680" "5260933" "5367661" "5396596" "5442637" "5526484" "5528605" "5566304" "5577172" "5584039" "5584041" "5611070" "5640596" "5666358" "5708961" "5748684" "5764392" "5768530" "5787256" "5835925" "5845147" "5870625" "5872911" "5878227" "5901327" "5930480" "5938735" "5952932" "5959995" "5960436" "6000012" "6014383" "6018779" "6029008" "6052744" "6138161" "6167459" "6170023" "6185203" "6188702" "6205498" "6240446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/13 17:44
L186	49	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L185	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:44
L187	7	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L185 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L188	142	first adj token and second adj token and command and (scsi disk storage) and (address\$3 location id) and (controller server manager) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L189	65	first adj token and second adj token and command and (scsi disk storage) and (address\$3 location id) and (controller server manager) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L190	1149	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45

EAST Search History

L191	37	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and (command instruct\$3) and network and scsi and I/O	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L192	44	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and (command instruct\$3) and network and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L193	244	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L194	92	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L195	28	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and (storage disk SCSI) near5 access\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L196	19	("5627967").URPN.	USPAT	OR	ON	2006/07/13 17:45
L197	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L196 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L198	8	("6161145").URPN.	USPAT	OR	ON	2006/07/13 17:45
L199	3	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and L198 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L200	32	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and (storage disk SCSI) near5 (controll\$3 access\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45

EAST Search History

L201	4	L200 not L195	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L202	460	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and command and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L203	0	"98106923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L204	8	"6134709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L205	25	"5809279"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L206	0	"5809279" and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L207	4	"5809279" and (tiket authenticat\$3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L208	25	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 command block scsi disk request\$3 network) and L205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L209	8	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 command block scsi disk request\$3 network) and L204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45

EAST Search History

L210	525	(token ticket) with (device storage) adj (ID location address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L211	27	(token ticket) with (device storage) adj (ID location address) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L212	5	(token ticket) near7 (device storage) adj (ID location address) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L213	243	(token ticket) near7 (device storage) adj (ID location address) and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L214	160	(token ticket) near7 (device storage) adj (ID location address) and storage and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L215	1652	(token ticket) and command adj3 (block word)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L216	1210	(token ticket) and command adj3 (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L217	34	(token ticket) and command adj data adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L218	1481	iscsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L219	127	iscsi and (token ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45

EAST Search History

L220	8	storage adj network adj protocol and (token ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L221	65	(token ticket) with (device storage) adj (ID location address) and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L222	65	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and L221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L223	79	xfs and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L224	9	(extended adj file adj system) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L225	301	(token ticket) and command adj3 (block word) and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L226	53	(token ticket) and command adj3 (block word) and remote with access\$3 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L227	6	(token ticket) with (ID username password device address storage) and command adj3 (block word) and remote with access\$3 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L228	396	token with storage and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45

EAST Search History

L229	62466	token or ticket and (write or read or update) adj command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L230	50	(token or ticket) and (write or read or update) adj command and remote adj access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L231	37	(token or ticket) and (write or read or update) adj command and "ISCSI"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L232	143	(token or ticket) and (write or read or update) adj command and SCSI adj3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L233	92	(token or ticket) and (write or read or update) adj command and SCSI adj3 command and remote and (access\$3 retrieve\$3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:45
L234	31	("5434976" "5491812" "5535375" "5577172" "5659798" "5664116" "5696899" "5859848" "5923659" "5938752" "5966510" "5996024" "5999541" "6006268" "6018530" "6067595" "6105092" "6141312" "6167515" "6181699" "6185203" "6189052" "6195703" "6226680" "6246683" "6247101" "6289023" "6324183" "6336171" "6421711" "6453360").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/13 17:45
L235	2136	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L236	6	("6738821").URPN.	USPAT	OR	ON	2006/07/13 17:46

EAST Search History

L237	6	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and L236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L238	7	"6738821"	USPAT	OR	ON	2006/07/13 17:46
L239	7	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and L238	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L240	11	"6240446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L241	5	"6330585"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L242	4	((("6330585") or ("6240446")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 17:46
L243	4	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and L242	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L244	10	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and "6594698"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46

EAST Search History

L245	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and "6594698" and (ticket token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L246	217	token same (storage disk segment scsi partition) near3 (address ID location) and remote and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L247	118	token same (storage disk segment scsi partition) near3 (address ID location) and remote and access\$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L248	151	(token ticket) same (storage disk segment scsi partition) near3 (address ID location) and remote and access\$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L249	33	L248 not L247	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L250	3455493	storage disk scsi ata adj disk (file adj system) with (access\$3 retrieve\$3 request\$3) and (authoriz\$6 authenticat\$3 verif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L251	3248	(token or ticket) same (associat\$3 link\$3) same (storage disk scsi (file adj system) address\$3 location ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L252	2777	L250 and L251	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L253	475	(write or read or update) adj command and SCSI adj3 command and remote and (access\$3 retrieve\$3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46

EAST Search History

L254	24	L252 and L253	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L255	6326	(write or read or update) adj command and remote and (access\$3 retriev\$3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L256	94	L252 and L255	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L257	42	L252 and L255 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L258	42	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and L257	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L259	4	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and "6502165"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L260	44	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and "5506961"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46

EAST Search History

L261	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and "5506961". pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L262	0	carlson-et-al.in. and disk adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L263	0	carlson-\$.in. and disk adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L264	3	carlson-\$.in. and disk adj5 address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L265	10610	carlson-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L266	16	carlson-\$.in. and IOP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L267	8	carlson-\$.in. and IOP and storage and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L268	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L269	470	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46

EAST Search History

L270	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L271	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L272	165	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L273	404	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L274	368	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L275	553	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L276	1354	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:46
L277	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L278	0	L277 and L272	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L279	60	L272 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47

EAST Search History

L280	0	L272 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L281	146	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L282	5965	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L283	672	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L284	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L285	470	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L286	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L287	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L288	165	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L289	404	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47

EAST Search History

L290	368	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L291	553	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L292	1354	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L293	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L294	0	L293 and L288	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L295	60	L288 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L296	0	L288 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L297	146	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L298	5965	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L299	672	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47

EAST Search History

L300	25740	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L301	2583	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L302	1395	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L303	217	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L304	49	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retrieve\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L305	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L306	257	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L307	8	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L308	46	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47

EAST Search History

L309	62	L272 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L310	46	L272 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L311	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L312	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L313	106	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L314	106	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L315	100	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L316	55	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L317	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L318	8	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47

EAST Search History

L319	46	((token) with (storage near3 (address location (device adj id ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L320	62	L288 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L321	46	L288 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L322	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L323	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L324	106	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L325	106	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L326	100	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L327	55	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47
L328	257	((token) with (storage near3 (address location (device adj id ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 17:47